

TARAFLEX™ SPORTS FLOORING

gerflor.com




Gerflor[®]
theflooringroup

WHY YOU SHOULD CHOOSE TARAFLEX™

1 FOR PROTECTION

- **PROTECTION** is the property of the floor that brings **immediate comfort** to all users when falling, diving or sliding on the floor.
- Protection completes the shock absorption data to characterise a sports floor.



Now we can measure it!


GERFLOR'S ANSWER

Gerflor offers Taraflex™ Sport M Comfort, a P3 floor with the highest level of protection on the market.

Sources: ETH Zurich study
Poitiers University biomechanical department
AFNOR recommendation letter AC P 90-205

2 FOR SAFETY


- **SAFETY** is the property of the floor that helps to reduce long term injury risks. Force reduction of a sports floor will participate to the shock absorption by minimizing the force at the impact on the body.
- The higher the shock absorption the lower the long term injury risks.



With a complete range of shock absorption P1/P2/P3, Gerflor provides the right solution and the best safety for the users.

3 FOR LIFE

- Taraflex™ technology ensures a long lasting high performance of the products for the **LIFETIME OF THE FLOORS**.
- Gerflor commits to the level of shock absorption (P1/P2/P3) of the Taraflex™ sports flooring range after 10 years use of the products.




Gerflor guarantees the category of the product (P1/P2/P3) after 10 years use.



TARAFLEX™ SPORTS FLOORING

gerflor.com




Gerflor[®]
theflooringgroup

TURN YOUR DESIGN INTO REALITY



6381 - Maple Design / Y = 39,9




6873 - Anthracite / Y = 20,5



6159 - Pink / Y = 19,1



6559 - Spring / Y = 47,1



6830 - Black / Y = 4,2

All colours are available with Taraflex™ Surface,
Taraflex™ Sport M Evolution, Taraflex™ Sport M Performance
and Taraflex™ Sport M Comfort



6557 - Forest / Y = 10,9




6570 - Mint Green / Y = 16,9



6347 - Beige / Y = 39,7



6375 - Oak Design / Y = 29,7



3764 - Taupe / Y = 17,9



6180 - Red / Y = 10,9



6038 - Terracotta / Y = 19,9



6211 - Gold / Y = 45,7

Y = light reflectance values according to EN 13745.
Participates to lighting energy saving when Y > 20.



2404 - London Light Blue / Y = 33,8



6758 - Silver Gray / Y = 36



6445 - Lagoon / Y = 25,7



6430 - Blue / Y = 8,3



6431 - Teal / Y = 21,4



6146 - Coral / Y = 28,7



TARAFLEX™ MULTI-USE 6.2



8068 - Wood Chocolate



4453 - Wood Blue



8840 - Wood Black



4331 - Wood Natural



3708 - Wood Grey

TECHNICAL SOLUTIONS

DRY-TEX™ SYSTEM
The all in one moisture solution



✓ Only available with Taraflex™ Sport M Evolution and Taraflex™ Sport M Performance

TARAFLEX™ ECO-FIT™
Fast track free-floating solution




✓ Only available with Taraflex™ Eco-Fit™ (P2, 9mm)

TARAFLEX™ ISOLSPORT
Solution for renovation work and moisture barrier



TARAFLEX™ BATECO
Removable protective layer



PRODUCT SELECTION GUIDANCE




SAFETY Protection against long-term injuries


APPLICATIONS

- Toddlers (0-6 years old)
- Education
- Clubs / Competitions
- Adults / Seniors / Leisure
- Multipurpose

TARAFLEX™ MULTI-USE 6.2



TARAFLEX™ SPORT M EVOLUTION



P3

12mm

IPI = 88%



TARAFLEX™
SPORT M COMFORT

P2

9mm

IPI = 82%



TARAFLEX™
SPORT M PERFORMANCE

Dry-Tex Eco-Fit
SYSTEM SYSTEM

SAFETY

Protection against **long term injuries** less shin splints, less tendonitis.

SA%



SA% = SHOCK ABSORPTION (EN 14904)

25% ≤ P1 < 35%

35% ≤ P2 < 45%

45% ≤ P3

35%


45%

SA%

TARAFLEX™ SPORT M PERFORMANCE



TARAFLEX™ SPORT M COMFORT



ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbel@gerflor.com

CANADA: Gerflor Canada
Tel: 438 333 0752
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor Floorings (China) co.Ltd
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

FRANCE: Gerflor
Service Express:
N°Azur : 0 810 569 569
N°Azur fax : 0 810 569 570
e-mail: contactfrance@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: GerflorMipolam@gerflor.com
Kunden-Service
Tel: +49 (0)22 41-25 30 131 - Fax: +49 (0)22 41-25 30 100
e-mail: kundenservice@gerflor.com
SAT Service und Anwendungstechnik
tel: +49 (0)22 41-25 30 555 - Fax: +49 (0)22 41-25 30 550
e-mail: Technik@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorirl@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: gerflorME@gerflor.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor Moscow Office
Tel: + 7 499 783 63 69 / 81 - Fax: + 7 499 783 62 52
e-mail: gerflorrus@mospk.east.ru

SCANDINAVIA: Boide Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647
e-mail: contractuk@gerflor.com

USA: Gerflor USA
Tel: 877 437 3567
e-mail: info@gerflorusa.com

gerflor.com

ARCHITECTURE
DECORATION
SPORT
TECHNOSPECIFIC

Gerflor. Don't forget our complementary ranges!



Handrails



Wall Coverings & Protections



Entrance mats



Skirtings & Profiles

Gerflor. Be CONNECTED!



www.gerflor.com



Committed to sustainable development

Gerflor
theflooringgroup